

SISTEMA DI GESTIONE CERTIFICATO ISO 9001 | ISO 20000-1 | ISO 22301 | ISO 37001 ISO 27001 | ISO 27017 | ISO 27018 | ISO 27035 SERVIZI FIDUCIARI QUALIFICATI ETSI 319 401 | ETSI 319 411-1 e 2 | ETSI 319 421 | ETSI 119 511 FIRME E SIGILLI ELETTRONICI - MARCHE TEMPORALI CONSERVAZIONE A LUNGO TERMINE

> eCON Console Release notes 2.25

> > RN 20250415

Indice

Document information	. 1
Revisions	. 1
Document approval	
1. Introduction	. 2
2. List of changes	. 2
2.1. Version 2.25.0.	. 2

Document information

Project	eCON Console
ID document	RN eCON Console 20250415 Release notes 2.25
Туре	Release notes
Creation date	15/04/2025
Last revision	15/04/2025
Version	2.25.0
Author	Anna Mazzotta
State	Released
Classification	Pubblic



Paper reproductions of this document are to be considered working copies not registered by the Integrated Management System.

Revisions

Date	Version	Name	Action
15/04/2025	2.25.0	Anna Mazzotta	Document creation.

Document approval

Date	Person in charge	Task	Sign
15/04/2025	Paola Caioli	DelM	Digitally Signed.

© 2025 Entaksi Solutions SpA

The information contained in this document is the property of Entaksi Solutions SpA, it is confidential, private, and only for the information of the intended recipient(s), and it cannot be communicated to third parties, reproduced, published or redistributed without the prior written consent of Entaksi.



1. Introduction

This document contains the Entaksi Services release notes for version 2.25.x.

2. List of changes

2.1. Version 2.25.0

Release date: 15/04/2025.

2.1.1. Entaksi Services

Ticket	Туре	Change description
#14327	New feature	In the ePRI, ePLUS, and eSIGN services, it is possible to upload attached files. Previously, uploading files with the <i>.eml</i> extension was not allowed. With the change made, it is now possible to upload files with the <i>.eml</i> extension as well.
#14283	Bug-fix	In the Entaksi services, it is possible to customize lists by enabling or disabling the visibility of columns simply by clicking the "three-line" button located at the top right, and selecting or deselecting the column of interest. Before the correction, the service did not allow a previously disabled column to be made visible again. With the correction made, the functionality to enable/disable column visibility in the list has been correctly restored.
#14328	Bug-fix	In the Entaksi services, it is possible to enable or disable the visibility of columns list. Some columns are not visible by default: to view them, simply to click the "three-line" button at the top right and enable the desired column. Before the correction was made, the columns not visible by default were erroneously always visible. The correct display behavior of the lists has now been restored.

2.1.2. ePRI service

Ticket	Туре	Change description
#11518	New feature	The creation of the protocol signature has been implemented. For each signed protocol registration, the system automatically creates the corresponding protocol signature which will be stored together with the registration itself in the Submission Information Package.
#11524	New feature	In the ePRI service, the button to download the protocol signature on the protocol registration detail page has been moved: it is no longer present in the " <i>Documents to be registered</i> " section next to each uploaded file, but has been placed at the top left of the page.
#13882	New feature	In the ePRI service, it is possible to configure an email account from which to download sent or received emails. With the implementation, a field has been introduced to configure the frequency of updating emails, that is the frequency which emails are downloaded from the mailbox.

Ticket	Туре	Change description
#13884	New feature	In the ePRI service, on the email account configuration page, the option to enable automatic storage of emails downloaded from the mailbox has been added by simply setting the " <i>Send to storage</i> " option to true.
#13936	New feature	In the ePRI service, a "Subjects" register has been introduced, replacing the previously available "Contacts" register. When creating an " <i>Inbound</i> " or " <i>Outbound</i> " protocol registration, it is now possible to specify a reference subject by selecting it from the list of available, or from those previously added to the Subjects register.
#13944	New feature	In the ePRI service, a confidentiality status has been introduced for protocol registrations. If a user wants to mark a registration as " <i>Reserved</i> ", he must check the appropriate box and add the reason (mandatory field).
#13946	New feature	In the ePRI service, the concept of a <i>primary document</i> has been introduced: the first document in the list of documents to be registered in the protocol registration is automatically set as the primary document. For manual registrations, it is possible to set a different document as primary by clicking the dedicated icon in the row: the selected document will automatically become the primary one, and the previous primary document will be set as secondary. For registrations generated from emails, however, it is not possible to change the primary file, which is automatically defined by the service as the <i>.eml</i> file of the email.
#14096	New feature	In the ePRI service, on the " <i>Email</i> " page, the display of available mailboxes (both enabled and disabled) is now sorted in alphabetical order (previously, it was displayed in order of entry in the registry).
#14123	New feature	 In the ePRI service, it is possible to register received emails along with their attachments. During the registration of an email, a feature has been added to allow the user to select the attached files he wishes to register and archive. By clicking on the registration button, a mask appears to allow the user to select the files to register (either all or a part). By confirming the selection, the system creates a protocol registration in draft status, including only the selected files. Additionally, the ability to register email receipts has been disabled: only the original email can be registered.
#14140	New feature	In the ePRI service, after confirmation of a protocol registration, the protocol signature is automatically generated and sent to the eCON preservation service in the same Submission Information Package as the registration's attachments (#11518). With the implementation, if the organization has an automatic remote signing certificate, the protocol signature is automatically signed by the service before being sent to preservation.
#13588	Bug-fix	In the ePRI service, it is possible to download emails with attachments from previously configured email accounts. If an email contained attachments with very long filenames, the file name was previously displayed on a single line in the " <i>Message</i> " section of the email detail page, making it difficult to read. With the correction made, if an email attachment has an excessively long name, this is now displayed on more lines making reading easier.

Ticket	Туре	Change description
#14023	New feature	In the ePRI service, it is possible to create a protocol registration directly from a received email. Before the change, when creating a protocol registration in " <i>Draft</i> " status from an email, the service returned an error during the save process, even if all mandatory fields were filled in. With the change made, the functionality to save a protocol registration generated from an email has been restored.
#14024	Bug-fix	In the ePRI service, it is possible to delete protocol registrations that are in "Draft" status. Previously, for " <i>Inbound</i> " or " <i>Outbound</i> " registrations, once a reference subjects had been specified, it was no longer possible to delete a registration in the "Draft" status. With the correction made, the deletion functionality has been restored for all types of protocol registrations in draft status.
#14029	Bug-fix	In the Entaksi services, informational tooltips are available to help users using the services. In the ePRI service, on the " <i>Email</i> " page, the " <i>Type</i> " column for received emails displays descriptive icons for different types of messages, each with its own tooltip. Previously, for " <i>Certified Email</i> " messages, the descriptive tooltip was not correctly translated into English: this issue has been fixed with the change made.
#14039	Bug-fix	The ePRI service automatically generates the daily protocol logs and sends it to preservation. Previously, if the creation of the Submission Information Package that contains the daily protocol logs had an error and remained in "New" status, the system continued to generate empty Submission Packages in "New" status labeled " <i>Daily protocol logs</i> ". With the change made, this issue has been resolved, and the Submission Information Package that contains the daily protocol log is now created only once.
#14040	Bug-fix	In the ePRI service, it is possible to create protocol registrations. Each registration can include files with a variable name lengths. Previously, if a file to be registered had a very long name, the display in the selection mask of files to be registered was not correct: the entire filename appeared on a single line. With the correction made, filenames that are too long are now split on several lines allowing a correct display.
#14041	Bug-fix	In the Entaksi services, it is possible to access management pages by clicking the corresponding item on the left side menu, which remains visible. In the ePRI service, when a user clicked on an item in the " <i>Configurations</i> " submenu, the submenu would close, by hiding the selected item. With the change made, the selected submenu item now remains correctly visible.
#14042	Bug-fix	In the Entaksi services, it is possible to apply filters to the lists, and the applied filter is shown in the column's descriptive tooltip (as per Entaksi standards). In the ePRI service, on the received emails page, it was possible to filter by email type, but the applied filter was not displayed in the tooltip. With the correction made, the applied filter is now correctly visible in the tooltip, both in Italian and English.
#14098	Bug-fix	In the ePRI service, the possibility to delete protocol registrations in "Draft" status has been introduced, by clicking the dedicated button available both on the registration list page and on the registration detail page. In the first case, the descriptive tooltip was not correctly decoded. With the correction made, the tooltip text has been corrected.

Ticket	Туре	Change description
#14124	Bug-fix	In the ePRI service, it is possible to register received emails along with their attachments, or manually create a protocol registration including files to be archived. Attachments can be removed from the registration via a dedicated button in the row. Before the update, the attachments were not correctly removed, and the service would return an error. With the correction made, attachments are now correctly removed.
#14127	Bug-fix	In the ePRI service, it is mandatory to enter a reference subjects in " <i>Inbound</i> " and " <i>Outbound</i> " protocol registrations. Contrary to Entaksi standards, when confirming the registration, if this field was not correctly filled in, it did not appear in red with the corresponding descriptive tooltip. With the correction made, the correct display of the mandatory field has been restored in case of missing or incorrect values.
#14128	Bug-fix	In the ePRI service, it is possible to create protocol registrations with attached files and define which of these files is the primary one. To allow a more immediate display, a "Primary" status has been introduced for the file, displayed in blue with the label " <i>Primary</i> ". With the correction made, when editing a confirmed protocol registration, it is now only possible to download the files or the corresponding protocol signature, and, if necessary, cancel the registration: any other actions are now correctly disabled.
#14165	Bug-fix	In the ePRI service, for " <i>Inbound</i> " protocol registrations, it is possible to enter the sender's document date and number. With the modification made, these fields have been made optional during registration (in the previous version, they were mandatory).
#14197	Bug-fix	 The ePRI service automatically generates a daily protocol logs for each AOO (Homogeneous Organizational Area), which is a .csv file that contains all the protocol registrations for the same AOO confirmed on the same day. The register is closed, and the corresponding file is sent to preservation the day after the confirmation of the registrations. During this period, the register is available in the list on the "<i>Protocol Registrations</i>" page, but the .csv file has not yet been fully created (the creation date is not present). If the user attempted to download the register during this time, the service returned an error that was not properly decoded. With the change made, the error when attempting to download the unclosed daily protocol log is now properly decoded.
#14217	Bug-fix	In the ePRI service, there is a Subjects register. If a subject has been included in a protocol registration, it cannot be deleted. The error message returned by the service was not properly decoded. With the correction made, the error message is now correctly decoded.
#14229	Bug-fix	In the ePRI service, it is possible to register received emails along with their attachments. In the case of special characters in the filenames of email attachments, the preservation process did not complete correctly because the Submission Information Package, having errors during creation, remained in "New" status in the ePLUS service. With the change made, special characters are removed from filenames during the email acquisition process, to proceed to correct preservation.

Ticket	Туре	Change description
#14265	Bug-fix	In the ePRI service, it is possible to download received or sent emails with their attachments from a previously configured email account. In case the email contained an attachment with a <i>.txt</i> extension, during the download process from the account in the Console, the text contained in the file was inserted into the body of the email. With the change made, this issue has been corrected: the text contained in the files attached to emails with <i>.txt</i> extension is no longer inserted into the body of the email.
#14291	Bug-fix	In the ePRI service, users with the " <i>Utente del servizio</i> " privilege (service user) must be able to see the list of daily protocol logs automatically generated by the service, which include the protocol registrations confirmed on that day. Before the correction, users with the " <i>Utente del servizio</i> " privilege (service user) could not view the list of daily protocol logs.
#14292	Bug-fix	In the ePRI service, it is possible to download emails with attachments from previously configured email accounts. If a user created a protocol registration from an email containing files with very long filenames, the display of attachments in the created protocol registration was not correct: the filename appeared on a single line, making it difficult to read. With the correction made, in case the name of a file is too long, it is now displayed on several lines.

2.1.3. eSIGN service

Ticket	Туре	Change description
#13435	New feature	In the eSIGN service, the possibility to rename files that are part of templates or signing processes has been introduced. Before the modification, it was not possible to rename a previously uploaded file, neither during the modification of an already saved template nor during the creation of a signing process (either from a template or manually). With the implementation made, by clicking the rename button next to the file name in the list in the left section of the page, users can now rename the file both during the modification of a template and during the creation of a signing process (either from a template and during the creation of a signing process (either from a template and during the creation of a signing process (either from a template and during the creation of a signing process (either from a template and during the creation of a signing process (either from a template or manually).
#13831	Bug-fix	In the eSIGN service, the behavior of the value list has been corrected and standardized for editable data, additional fields, and parameters. With the change made, in all the cases mentioned above, it is no longer possible to insert a list without values (the component appears in red with a descriptive text below), and even if there is only one value, user must confirm it by pressing the enter button or entering the value #.

Ticket	Туре	Change description
#14045	Bug-fix	In the eSIGN service, it is possible to enter additional data both manually from the Console and by importing a .csv file. When entering data manually from the Console, the service performs validity checks on the number of decimal digits (which cannot exceed ten) and on the consistency of the minimum and maximum length of string-type data (the minimum length cannot exceed the maximum length). When importing a .csv file, these checks were not performed. With the correction made, the same consistency checks performed during manual data entry are now also applied during the import of a .csv file for the insertion or modification of additional data.
#14090	Bug-fix	In the eSIGN service, it is possible to create templates with parameters that must be filled in when starting a process. A signatory user can reject a signing process, which can later be restarted including the previously entered data. The restart of a rejected signing process with mandatory parameters did not work correctly: the service returned an error, preventing the creation of the new signing process. With the correction made, the restart of a rejected process has been restored, including the scenario described above.
#14091	Bug-fix	In the eSIGN service, it is possible to configure a template to automatically insert a third- party signatory user among the signatory users by selecting the corresponding option, which is only visible if the template contains the appropriate identification markers. If the file that contains these markers was removed, the flag for third-party data acquisition remained erroneously visible, causing configuration errors. With the correction made, when a file with identification markers is deleted, the flag for third-party registry acquisition is now correctly not visible.
#14345	Bug-fix	In the eSIGN service, it is possible to duplicate templates: the structure and information of the duplicated template must be the same as those of the original. In the case of duplicating a template configured for third-party data insertion, the duplicated template did not report the third-party insertion setting: therefore, the duplication was incorrect. With the modification made, this issue has been resolved and the duplicated template is now identical to the original.